



Baccara Maple



Baccara Maple MY468BACM



Gaucho Hickory MY468GAUH



Bungalow Maple MY468BUNM



Puebla Hickory MY468PUEH



Caballero Maple MY468CABM



Ranchero Hickory MY468RANH



Casita Hickory MY468CASH



Chalet Red Oak MY468CHRO



Terreno White Oak MY468TEWO



Terracotta Red Oak MY468TCRO



Terreno Oak

## Features

- Length: Up to 6' RL
- Width: 4, 6 & 8" Random Width
- Thickness: 1/2" Engineered  
2mm Slice Cut Face
- Finish: TrueMark® Glaze Tek Poly
- Edge Detail: Handcrafted Microbevel
- Certified: EPA - TSCA Title VI Compliant  
FSC® Certified - Responsibly Harvested
- TrueCore: Third Party Certified
- Warranty: Limited Lifetime residential finish  
Limited Lifetime residential structural  
5 year commercial finish  
10 year commercial structural
- Maintenance: Clean with TrueClean® Floor Cleaner.  
For full care and maintenance instructions visit  
[HallmarkFloors.com/Floor-Care-Maintenance](http://HallmarkFloors.com/Floor-Care-Maintenance)

## Benefits

- Finish: 12 coats of Aluminum Oxide hand glazed satin finish  
Guaranteed quality and durability - long lasting finish  
100% Renewable with Hallmark's XYZ
- Wear Layer: Same visuals as 3/4" solid wood floors  
Top layer provides lasting durability  
Vertically sliced - Delivers greater strength
- Structure: Greater dimensional stability than 3/4" solid  
Healthy indoor air quality



Terracotta Red Oak

## Trim Options

- Stair Nose
- T-molding
- Threshold
- Reducer

## Installation



Nail Down



Glue Down



Float



Over Radiant Heat  
(Excluding Hickory)

Installs over: concrete, wood, vinyl floors and radiant heat systems. Above, on or below grade. See complete installation instructions. Hallmark Hickory and Solid products are not approved for installation over Radiant Heat.

## Wood Characteristics

Color, Graining & Natural Changes



Wood flooring is a natural product that will feature distinct color and graining between planks. Each board contains large to small knots, sap wood, and a high contrast within the natural and lighter stained visuals. Knots and voids may or may not be filled with dark putty.

Note: This sample may not be representative of your entire installed floor, for your reference and the latest updated information, please refer to [hallmarkfloors.com](http://hallmarkfloors.com) to see our online room scenes and product galleries.

## Light Characteristics

Wood Floor Plank with Natural Finish  
Light\* Exposure Over 48 Months



Before installation review the samples with the floor and verify our beautiful one of a kind floor is what you are expecting.

Installation constitutes acceptance.